



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301


Mobiles +91 92465 42188/91546 05555 E mail: [principalh2008@gmail.com](mailto:principalh2008@gmail.com) URL: <http://www.vkrvbcoengg.com>


### FEEDBACK ON FACILITIES


Name of the Stakeholder: Student

Academic Year: 2022-23

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	93
2	Usage of ICT facilities in the classrooms	93
3	Canteen facilities: Food Quality, Ambience and Support Staff	93
4	Do the girls feel secure on the campus	97
5	Drinking water facility	97
6	Washroom Cleanliness and Maintenance	97
7	Sports facilities in the college	93
8	Transportation provided by the college adequate	90
9	Were the laboratories/ workshops adequately equipped and properly maintained	90
10	The overall environment of the college	97



  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
PRINCIPAL  
/KR VNB & AGK COLLEGE OF ENGINEERING  
Elyra Road, GUDIVADA Kri. Dt.A.P.521 301



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile →91 92467 42153/91516 05555 E-mail: [principalah2008@gmail.com](mailto:principalah2008@gmail.com) URL : <http://www.vkrvnbcoetg>

### Action taken report based on feedback for the Academic Year 2022-23

Date: 12/04/2023.

Name of the Stakeholder: Student

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	93	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	93	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	93	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	97	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	97	Very Good	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	97	Very Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	93	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	90	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	90	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	97	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

12/4/2023  
PRINCIPAL

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobila: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Shaik Baji

Contact No:

9676463949

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

Sk. Baji

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvbcoe.org>

## FEEDBACK ON FACILITIES

Name:

k. Bhagya Sri

Contact No:

8985337793

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92 465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbce.org>

## FEEDBACK ON FACILITIES

Name:

M. Siva Nagaraju

Contact No:

9705744690

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

M. Siva Nagaraju

SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

P. Rajitha

Contact No:

8106371086

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

P. Rajitha  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name:

A. Jagadeesh Kumar

Contact No:

7997670230

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vknvbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Gr. Bharat

Contact No:

8501034834

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

  
SIGNATURE





## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301


Mobile: +91 92465 42188/91846 05535 Email: [principalah2008@gmail.com](mailto:principalah2008@gmail.com) URL: <http://www.vkrvbceos.org>


### FEEDBACK ON FACILITIES


Name of the Stakeholder: Alumni

Academic Year: 2022-23

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	94
2	Usage of ICT facilities in the classrooms	90
3	Canteen facilities: Food Quality, Ambience and Support Staff	94
4	Do the girls feel secure on the campus	97
5	Drinking water facility	100
6	Washroom Cleanliness and Maintenance	94
7	Sports facilities in the college	94
8	Transportation provided by the college adequate	97
9	Were the laboratories/ workshops adequately equipped and properly maintained	94
10	The overall environment of the college	97



  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
51uru Road, GUDIVADA Kri. Dt.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile: +91 92465 42188/91546 05555 E-mail: [principal@vkrvnbce.org](mailto:principal@vkrvnbce.org) URL: <http://www.vkrvnbce.org>

## Action taken report based on feedback for the Academic Year 2022-23

Date: 17/04/2023

Name of the Stakeholder: Alumni

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	94	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	90	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	94	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	97	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	100	Excellent	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	94	Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	94	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	97	Very Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	94	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	97	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL  
/KR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42158/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvubcoe.org>

## FEEDBACK ON FACILITIES

Name:

T. Suman

Contact No:

8099945754

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils +91 92465 42188/91546 05555 I mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvbcoa.org>

## FEEDBACK ON FACILITIES

Name:

J. Devi Suma

Contact No:

9493886976

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

G. Ajay Gopal

Contact No:

7036430234

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

G. Prudhvi

Contact No:

9019401900

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*Prudhvi*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

D. psem kumar

Contact No:

9515867289

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

*Kumar*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91 546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name:

K. Rajkumar

Contact No:

9030436536

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

  
SIGNATURE



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301


Mobiler: +91 92465 42185/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrnbcoa.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Parent

Academic Year: 2022-23

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	90
2	Usage of ICT facilities in the class rooms	90
3	Canteen facilities :Food Quality, Ambience and Support Staff	97
4	Do the girls feel secure on the campus	100
5	Drinking water facility	100
6	Washroom Cleanliness and Maintenance	97
7	Sports facilities in the college	93
8	Transportation provided by the college adequate	97
9	Were the laboratories/ workshops adequately equipped and properly maintained	93
10	The overall environment of the college	100



QUESTIONNAIRE

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobils: +91 92-465-42183/91546-05555 Email: [principal@vkrvnbce.org](mailto:principal@vkrvnbce.org) URL: <http://www.vkrvnbce.org>

### Action taken report based on feedback for the Academic Year 2022-23

Date: 28/04/2023.

Name of the Stakeholder: Parent

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	90	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	90	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	97	Very Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	100	Excellent	We will continue the same rigor to increase the output
5	Drinking water facility	100	Excellent	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	97	Very Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	93	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	97	Very Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	93	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	100	Excellent	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. D.L.A.P.521 301





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92-465 42188/91546 05555 E-mail: [principalh2008@gmail.com](mailto:principalh2008@gmail.com) URL: <http://www.vkrvubco.org>

## FEEDBACK ON FACILITIES

Name:

Aluru Venkanna Babu

Contact No:

9502599855

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*A. Venkanna Babu*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvubcoe.org>

## FEEDBACK ON FACILITIES

Name: Bezawada siva Rama krishna

Contact No: 8985821468

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

*B. Siva Ramakrishna*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalmh2008@gmail.com](mailto:principalmh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Dhudala Basavayya

Contact No:

9885937288

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

D. Basavayya

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E.mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name: Grodadatti Fazul Rahman

Contact No: 9885938332

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*Grodadatti Fazul Rahman*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Kuchipudi Jeevan Babu

Contact No:

8686626667

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*Jeevan Babu*  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name:

Veeranki Venkateswararao

Contact No:

9948736451

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

V. Venkateswararao  
SIGNATURE



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudirada, Krishna District, Andhra Pradesh – 521301


Mobile: +91 92465 42188/91546 07555 E-mail: [principal@vkrvnb.org](mailto:principal@vkrvnb.org) URL: <http://www.vkrvnb.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Staff

Academic Year: 2022-23

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	90
2	Usage of ICT facilities in the classrooms	93
3	Canteen facilities: Food Quality, Ambience and Support Staff	93
4	Do the girls feel secure on the campus	100
5	Drinking water facility	93
6	Washroom Cleanliness and Maintenance	93
7	Sports facilities in the college	100
8	Transportation provided by the college adequate	90
9	Were the laboratories/ workshops adequately equipped and properly maintained	96
10	The overall environment of the college	96



Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. D.L.A.P. 521 301



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile: +91 92465 42188/91546 95555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbgo.org>

### Action taken report based on feedback for the Academic Year 2022-23

Date: 28/04/2023.

Name of the Stakeholder: Faculty

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	90	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	93	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	93	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	100	Excellent	We will continue the same rigor to increase the output
5	Drinking water facility	93	Good	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	93	Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	100	Excellent	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	90	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	96	Very Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	96	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

**Co-Ordinator, IQAC**  
**VKR, VNB & AGK College of Engineering**  
**Gudivada.**

  
**PRINCIPAL**

**PRINCIPAL**  
**VKR VNB & AGK COLLEGE OF ENGINEERING**  
**Eluru Road, GUDIVADA Kri. Dt.A.P.521 301**



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalmh2008@gmail.com](mailto:principalmh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

G Murali Krishna

Contact No:

9640849548

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus				✓	✓
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

G Murali Krishna  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvbce.org>

## FEEDBACK ON FACILITIES

Name:

S. Kalyani

Contact No:

9959583834

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

S. Kalyani  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principaluh2008@gmail.com](mailto:principaluh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name:

U: Harini

Contact No:

7386288142

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*Harini*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 Email: [principalmh2008@gmail.com](mailto:principalmh2008@gmail.com) URL: <http://www.vknbcce.org>

## FEEDBACK ON FACILITIES

Name:

Komma Tejaswi

Contact No:

9491985714

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

K. Tejaswi  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E mail: [principalah2008@gmail.com](mailto:principalah2008@gmail.com) URL: <http://www.vlvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

D. DILEEP

Contact No:

8801255567

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

D. Dileep

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalsh2008@gmail.com](mailto:principalsh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Jangam Swapna.

Contact No:

7680947446.

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

J. Swapna,  
SIGNATURE



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301


Mobile: +91 92465 42188 91546 05665 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Student

Academic Year: 2021-22

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	90
2	Usage of ICT facilities in the classrooms	93
3	Canteen facilities: Food Quality, Ambience and Support Staff	90
4	Do the girls feel secure on the campus	93
5	Drinking water facility	97
6	Washroom Cleanliness and Maintenance	97
7	Sports facilities in the college	90
8	Transportation provided by the college adequate	97
9	Were the laboratories/ workshops adequately equipped and properly maintained	93
10	The overall environment of the college	97



  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301





## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile: +91 92465 42188/91616 05555 E-mail: [principalab2008@gmail.com](mailto:principalab2008@gmail.com) URL: <http://www.vkrvnbcoe.org>


### Action taken report based on feedback for the Academic Year 2021-22


Date: 18/04/2022.

Name of the Stakeholder: Student

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	90	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	93	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	90	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	93	Good	We will continue the same rigor to increase the output
5	Drinking water facility	97	Very Good	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	97	Very Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	90	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	97	Very Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	93	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	97	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
18/4/2022  
PRINCIPAL  
PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobila: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

G. Siva Gangadhar

Contact No:

9490711930

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name: K. Sri Venkata Krishna Teja

Contact No: 7286856366

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

*K.S.V. Krishna Teja*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoacrg>

## FEEDBACK ON FACILITIES

Name:

G.V.V.N. Niharika

Contact No:

7794860950

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

G.V.V.N. Niharika  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E-mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Y. Sravya Sri

Contact No:

8143722023

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

Y. Sravya Sri

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

K. Teja

Contact No:

6304349791

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

*K. Teja*  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbce.org>

## FEEDBACK ON FACILITIES

Name:

R. Bhuvan

Contact No:

7287033913

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

R. Bhuvan

SIGNATURE





## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301


Mobile +91 91465 42188/91 646 05655 Email: [principal@vkrvnb.org](mailto:principal@vkrvnb.org) URL: <http://www.vkrvnb.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Alumni

Academic Year: 2021-22

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	97
2	Usage of ICT facilities in the classrooms	90
3	Canteen facilities: Food Quality, Ambience and Support Staff	94
4	Do the girls feel secure on the campus	94
5	Drinking water facility	94
6	Washroom Cleanliness and Maintenance	90
7	Sports facilities in the college	90
8	Transportation provided by the college adequate	94
9	Were the laboratories/ workshops adequately equipped and properly maintained	90
10	The overall environment of the college	94



Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: principalnh2008@gmail.com URL: <http://www.vkrnbcoe.org>

## Action taken report based on feedback for the Academic Year 2021-22

Date: 11/04/2022

Name of the Stakeholder: Alumni

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	97	Very Good	We'll work hard to keep up with the Improved campus maintenance.
2	Usage of ICT facilities in the classrooms	90	Good	Taking into account the feedback, we'll Take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	94	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	94	Good	We will continue the same rigor to increase the output
5	Drinking water facility	94	Good	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	90	Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	90	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	94	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	90	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	94	Good	To retain the same production, we shall continue to exercise the same rigour.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobiles +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <https://www.vknbcce.org>

## FEEDBACK ON FACILITIES

Name:

G. Purnima

Contact No:

447776596786

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

Purnima  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 | mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

T. Hitesh

Contact No:

9440009001

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbce.org>

## FEEDBACK ON FACILITIES

Name:

K. Vishnu

Contact No:

8464929999

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college				✓	

Vishnu  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

Ch. Eswar

Contact No:

7989336277

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

Ch. Eswar  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

k. puina chandra Rao

Contact No:

7981386911

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

chandra Rao.

SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 I mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name:

B. Devi priya

Contact No:

7995489989

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility				✓	
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

*Priya*  
SIGNATURE



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301


Mobila: +91 92465 42188/91546 05255 Email: [principal@vkrvnb.org](mailto:principal@vkrvnb.org) URL: <http://www.vkrvnb.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Parent

Academic Year: 2021-22

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	93
2	Usage of ICT facilities in the classrooms	90
3	Canteen facilities: Food Quality, Ambience and Support Staff	97
4	Do the girls feel secure on the campus	100
5	Drinking water facility	100
6	Washroom Cleanliness and Maintenance	93
7	Sports facilities in the college	93
8	Transportation provided by the college adequate	93
9	Were the laboratories/ workshops adequately equipped and properly maintained	90
10	The overall environment of the college	100



Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

PRINCIPAL

PRINCIPAL  
KR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301



## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile: +91 92465 42188/91546 05555 E-mail: [principal@vkrvnbce.org](mailto:principal@vkrvnbce.org) URL: <http://www.vkrvnbce.org>

### Action taken report based on feedback for the Academic Year 2021-22

Date: 25/04/2022

Name of the Stakeholder: Parent

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	93	Good	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	90	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	97	Very Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	100	Excellent	We will continue the same rigor to increase the output
5	Drinking water facility	100	Excellent	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	93	Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	93	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	93	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/ workshops adequately equipped and properly maintained	90	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	100	Excellent	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

25/4/2022  
PRINCIPAL

PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. D.L.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnhcoe.org>

## FEEDBACK ON FACILITIES

Name:

BACHU SRINIVASA RAO

Contact No:

9505303077

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

B. Srinivas  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 Email: [principalhb2008@gmail.com](mailto:principalhb2008@gmail.com) URL: <http://www.vkrvnbc.org>

## FEEDBACK ON FACILITIES

Name:

AGNIPARTHA NAGA ANNAPURNA

Contact No:

983484914

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

A. N. Annapurna  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbc.org>

## FEEDBACK ON FACILITIES

Name:

BATULA VELTAH RAJU.

Contact No:

9701738996

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

B. V. Raju  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

ANGHOLA SUBBARAO

Contact No:

6303557175

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

A. Subbarao  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobils +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL : <http://www.vlvnbcoa.org>

## FEEDBACK ON FACILITIES

Name:

ARUN PALLI. SIVA PARANATHA

Contact No:

9381008870

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

A. 75  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Godivada, Krishna District, Andhra Pradesh - 521301

Mobile +91 92465 42188/91546 05555 Email: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvubcoe.org>

## FEEDBACK ON FACILITIES

Name:

BOYINA. SRINIVASARAO

Contact No:

8467065458

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

B. Srinivasarao  
SIGNATURE





## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301


Mobils: +91 92465 42188/91546 05555 Email: [principalh2008@gmail.com](mailto:principalh2008@gmail.com) URL: <http://www.vkrvnb.org>

### FEEDBACK ON FACILITIES

Name of the Stakeholder: Staff

Academic Year: 2021-22

S.No	Questionnaire	Feedback (%)
1	Campus Maintenance	100
2	Usage of ICT facilities in the classrooms	90
3	Canteen facilities: Food Quality, Ambience and Support Staff	100
4	Do the girls feel secure on the campus	93
5	Drinking water facility	100
6	Washroom Cleanliness and Maintenance	93
7	Sports facilities in the college	90
8	Transportation provided by the college adequate	93
9	Were the laboratories/ workshops adequately equipped and properly maintained	90
10	The overall environment of the college	96



  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
PRINCIPAL  
VKR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. Dt.A.P.521 301





## V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)  
(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh – 521301

Mobile: +91 92465 43188/91546 05555 E-mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>


### Action taken report based on feedback for the Academic Year 2021-22


Date: 26/04/2022.

Name of the Stakeholder: Faculty

S.No	Question	Percentage Consensus	Feedback/ Concern	Action to be Taken
1	Campus Maintenance	100	Excellent	We'll work hard to keep up with the improved campus maintenance.
2	Usage of ICT facilities in the classrooms	90	Good	Taking into account the feedback, we'll take steps to improve the procedure.
3	Canteen facilities: Food Quality, Ambience and Support Staff	100	Excellent	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	93	Good	We will continue the same rigor to increase the output
5	Drinking water facility	100	Excellent	We will continue the same rigor to increase the output
6	Washroom Cleanliness and Maintenance	93	Good	We appreciate your comments. We'll increase process awareness so that timely action can be taken.
7	Sports facilities in the college	90	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
8	Transportation provided by the college adequate	93	Good	By taking into account the concerns of the students, we will try to improve the process and take appropriate action.
9	Were the laboratories/workshops adequately equipped and properly maintained	90	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	96	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs.

Note: feedback percentage range 90-94 = Good, 95-98 = Very Good, 98-100 = Excellent & < 90 = Need improvement

  
Co-Ordinator, IQAC  
VKR, VNB & AGK College of Engineering  
Gudivada.

  
PRINCIPAL  
PRINCIPAL  
/KR VNB & AGK COLLEGE OF ENGINEERING  
Eluru Road, GUDIVADA Kri. D.L.A.P.521 301



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils +91 92465 42188/91 546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL : <http://www.vkrvnbcce.org>

## FEEDBACK ON FACILITIES

Name: P. Naveen Trinadh

Contact No: 7893147329

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

*P. Naveen Trinadh*  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vknubcoe.org>

## FEEDBACK ON FACILITIES

Name:

D. Nischala

Contact No:

9550084250

Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E-mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbce.org>

## FEEDBACK ON FACILITIES

Name:

M. SAI SANTOSH KUMAR

Contact No:

9000966535

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms					✓
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

M. S. K.  
SIGNATURE



# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkvvubco.org>

## FEEDBACK ON FACILITIES

Name: G.SIVA PAVANI

Contact No: 9908009675

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobils: +91 92465 42188/91546 05555 | mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbcoe.org>

## FEEDBACK ON FACILITIES

Name:

N. MUTHYALU

Contact No:

9381843550

			/
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					/
2	Usage of ICT facilities in the classrooms				/	
3	Canteen facilities: Food Quality, Ambience and Support Staff					/
4	Do the girls feel secure on the campus					/
5	Drinking water facility					/
6	Washroom Cleanliness and Maintenance				/	
7	Sports facilities in the college				/	
8	Transportation provided by the college adequate					/
9	Were the laboratories/ workshops adequately equipped and properly maintained				/	
10	The overall environment of the college					/

  
SIGNATURE





# V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

(An ISO 9001:2015 certified institute)

Gudivada, Krishna District, Andhra Pradesh - 521301

Mobile: +91 92465 42188/91546 05555 E mail: [principalnh2008@gmail.com](mailto:principalnh2008@gmail.com) URL: <http://www.vkrvnbc.org>

## FEEDBACK ON FACILITIES

Name:

Pulavarti Krishram Raju

Contact No:

7013141296

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT facilities in the classrooms				✓	
3	Canteen facilities: Food Quality, Ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking water facility					✓
6	Washroom Cleanliness and Maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the laboratories/ workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

P. Krish

SIGNATURE