




FEEDBACK ON FACILITIES

Name of the Stakeholder: Student

Academic Year:2023-2024

SNO	Questionnaire	Feedback (%)
1	Campus Maintenance	94
2	Usage of ICT facilities in the classrooms	94
3	Canteen Facilities: Food quality, Ambience and Support staff	95
4	Do the girls feel secure on the campus	98
5	Drinking water facility	98
6	Washroom cleanliness and maintenance	98
7	Sports facilities in the college	94
8	Transportation provided by the college adequate	93
9	Were the laboratories workshops adequately equipped and properly maintained	93
10	The overall environment of the college	97




Co-Ordinator, IQAC
VKR, VNB & AGK College of Engineering
Gudivada.


Principal
PRINCIPAL
VKR VNB & AGK COLLEGE OF ENGINEERING
Eluru Road, GUDIVADA Kr. D.A.P.521 301



Action taken report based on feedback for the Academic Year 2023-2024

Name Of The Stakeholder: Student

Date: 15/03/2024

SNO	Question	Percentage Consensus	Feedback/ Concern	Action to be taken
1	Campus Maintenance	94	Good	We'll work hard to keep up with the improved campus maintenance
2	Usage of ICT facilities in the classrooms	94	Good	Taking into account the feedback ,we'll take steps to improve the procedure.
3	Canteen Facilities: Food quality, Ambience and Support staff.	95	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	98	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	98	Very Good	We will continue the same rigor to increase the output
6	Washroom cleanliness and maintenance	98	Very Good	We appreciate your cmmnts We'll increase process awareness so that timely action can be taken
7	Sports facilities in the college	94	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
8	Transportation provided by the college adequate	93	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
9	Were the laboratories workshops adequately equipped and properly maintained	93	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	97	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs

Note: feedback percentage range 90-94=Good,95-98=Very Good,98-100=Excellent<90 Need improvement.

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KARNATAKA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalbh2008@gmail.com URL: http://www.vkrvbcoe.org

**FEEDBACK ON FACILITIES**

Name:

P. Naga Jyothi

Contact No:

8790040465

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus				✓	✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

P. Naga Jyothi
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to INTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principal@vkrvnbce.org URL: http://www.vkrvnbce.org

**FEEDBACK ON FACILITIES**

Name:

M. Mohitha Nagaralli

Contact No:

9390220638

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

M. Mohitha Nagaralli
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, Kakinada)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalh2008@gmail.com URL: http://www.vkrvoe.org

**FEEDBACK ON FACILITIES**

Name:

P. Raga Sravanthi

Contact No:

9494360855

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

P. R. Sravanthi

SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principal2008@gmail.com URL: http://www.vkrvnbcoc.org

**FEEDBACK ON FACILITIES**

Name:

A. Bhavani

Contact No:

9059233798

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

A. Bhavani
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified Institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalh2008@gmail.com URL: http://www.vkrvbnc.org

**FEEDBACK ON FACILITIES**

Name:

K. Supriya

Contact No:

703263 2627

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

K. Supriya
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principaloh2008@gmail.com URL: http://www.vkrvbenc.org

**FEEDBACK ON FACILITIES**

Name:

M. Divya Vani

Contact No:

9492616699

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

M. Divya Vani
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalb2008@gmail.com URL: http://www.vkrvbce.org

**FEEDBACK ON FACILITIES**

Name:

M. Bhargui

Contact No:

9989611976

✓			
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

M. Bhargui
SIGNATURE




FEEDBACK ON FACILITIES

Name of the Stakeholder: Parent

Academic Year:2023-2024

SNO	Questionnaire	Feedback (%)
1	Campus Maintenance	95
2	Usage of ICT facilities in the classrooms	95
3	Canteen Facilities: Food quality, Ambience and Support staff	95
4	Do the girls feel secure on the campus	97
5	Drinking water facility	98
6	Washroom cleanliness and maintenance	97
7	Sports facilities in the college	95
8	Transportation provided by the college adequate	92
9	Were the laboratories workshops adequately equipped and properly maintained	91
10	The overall environment of the college	98



G. Sai
Co-Ordinator, IQAC
VKR, VNB & AGK College of Engineering
Gudivada.

[Signature]
Principal
PRINCIPAL
/VKR VNB & AGK COLLEGE OF ENGINEERING
Eluru Road, GUDIVADA Kr. Dt.A.P.521 301



Action taken report based on feedback for the Academic Year 2023-2024

Name Of The Stakeholder: Parent

Date:29/03/2024

SNO	Question	Percentage Consensus	Feedback/ Concern	Action to be taken
1	Campus Maintenance	95	Good	We'll work hard to keep up with the improved campus maintenance
2	Usage of ICT facilities in the classrooms	95	Good	Taking into account the feedback ,we'll take steps to improve the procedure.
3	Canteen Facilities: Food quality, Ambience and Support staff	95	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	97	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	98	Very Good	We will continue the same rigor to increase the output
6	Washroom cleanliness and maintenance	97	Very Good	We appreciate your cmments We'll increase process awareness so that timely action can be taken
7	Sports facilities in the college	95	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
8	Transportation provided by the college adequate	92	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
9	Were the laboratories workshops adequately equipped and properly maintained	91	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	98	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs

Note: feedback percentage range 90-94=Good,95-98=Very Good,98-100=Excellent<90 Need improvement.

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

E-mail: principalh2008@gmail.com URL: http://www.vkrvnbcce.org

**FEEDBACK ON FACILITIES**

Name:

M. Venkata Subbarao

Contact No:

9959306699

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

M. U. Subbarao
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, Kakinada)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principal@2008@gmail.com URL: http://www.vkrvnbce.org

**FEEDBACK ON FACILITIES**

Name:

P. Balaji

Contact No:

7382917240

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus				✓	
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

P. Balaji
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalnh2008@gmail.com URL: http://www.vkrvnbc.org

**FEEDBACK ON FACILITIES**

Name:

B. Govardhan Rao

Contact No:

7075058862

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

B. Govardhan Rao

SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KARNATAKA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principalh2008@gmail.com URL: http://www.vkrvbcoe.org

**FEEDBACK ON FACILITIES**Name: N.Venkata Narasimha RaoContact No: 8125590314

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

N.Venkata Narasimha Rao
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified Institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principal@2008@gmail.com URL: http://www.vkrvbce.org

**FEEDBACK ON FACILITIES**

Name:

K. Jeevan Babu

Contact No:

8686626667

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

K. Jeevan Babu .
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, Kakinada)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalnh2008@gmail.com URL: <http://www.vkrvnbce.org>**FEEDBACK ON FACILITIES**

Name:

G. Sai pooruima

Contact No:

9494650211

		✓	
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

G. Sri pooruima
SIGNATURE




FEEDBACK ON FACILITIES


Name of the Stakeholder: Alumni

Academic Year:2023-2024

SNO	Questionaire	Feedback (%)
1	Campus Maintenance	94
2	Usage of ICT facilities in the classrooms	94
3	Canteen Facilities: Food quality, Ambience and Support staff	94
4	Do the girls feel secure on the campus	97
5	Drinking water facility	96
6	Washroom cleanliness and maintenance	97
7	Sports facilities in the college	95
8	Transportation provided by the college adequate	92
9	Were the laboratories workshops adequately equipped and properly maintained	92
10	The overall environment of the college	97




Co-Ordinator, IQAC
VKR, VNB & AGK College of Engineering
Gudivada.


Principal
PRINCIPAL
VKR VNB & AGK COLLEGE OF ENGINEERING
Eluru Road, GUDIVADA Kr. Dt. A.P.521301



Action taken report based on feedback for the Academic Year 2023-2024

Name Of The Stakeholder: Alumini

Date:11/04/2024

SNO	Question	Percentage Consensus	Feedback/ Concern	Action to be taken
1	Campus Maintenance	94	Good	We'll work hard to keep up with the improved campus maintenance
2	Usage of ICT facilities in the classrooms	94	Good	Taking into account the feedback ,we'll take steps to improve the procedure.
3	Canteen Facilities: Food quality, Ambience and Support staff	94	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	97	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	96	Very Good	We will continue the same rigor to increase the output
6	Washroom cleanliness and maintenance	97	Very Good	We appreciate your cmmnts We'll increase process awareness so that timely action can be taken
7	Sports facilities in the college	95	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
8	Transportation provided by the college adequate	92	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
9	Were the laboratories workshops adequately equipped and properly maintained	92	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	97	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs

Note: feedback percentage range 90-94=Good,95-98=Very Good,98-100=Excellent<90 Need improvement.

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principalh2008@gmail.com URL: http://www.vkrvnbc.org

**FEEDBACK ON FACILITIES**

Name:

M. LAKSHMI

Contact No:

8790552769

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

M. Lakshmi
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principaloh2008@gmail.com URL: http://www.vkrvnbcoe.org

**FEEDBACK ON FACILITIES**

Name:

K. HARSHINI

Contact No:

7601068562

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility				✓	
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college				✓	

K. Harshini

SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalnh2008@gmail.com URL: http://www.vkrvbnc.org

**FEEDBACK ON FACILITIES**

Name:

K. RAJITHA

Contact No:

7780281350

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓


SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC.

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principalh2008@gmail.com URL: http://www.vkrvbeng.org

**FEEDBACK ON FACILITIES**

Name:

A.Y. Krishna Sri

Contact No:

7036088972

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

A.Y. Krishna
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalnh2008@gmail.com URL: http://www.skrvnbc.org

**FEEDBACK ON FACILITIES**

Name:

G. Manohar

Contact No:

9866424072

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

G. Manohar
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh – 521301

Email: principalh2008@gmail.com URL: http://www.vkrvbce.org

**FEEDBACK ON FACILITIES**

Name:

L. NIHARIKA

Contact No:

9154966868

	✓		
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

L. Niharika

SIGNATURE




FEEDBACK ON FACILITIES

Name of the Stakeholder: Faculty

Academic Year: 2023-2024

SNO	Questionnaire	Feedback (%)
1	Campus Maintenance	95
2	Usage of ICT facilities in the classrooms	94
3	Canteen Facilities: Food quality, Ambience and Support staff	95
4	Do the girls feel secure on the campus	97
5	Drinking water facility	96
6	Washroom cleanliness and maintenance	98
7	Sports facilities in the college	95
8	Transportation provided by the college adequate	93
9	Were the laboratories workshops adequately equipped and properly maintained	94
10	The overall environment of the college	98



QUESTIONNAIRE


Co-Ordinator, IQAC
VKR, VNB & AGK College of Engineering,
Gudivada.


Principal
PRINCIPAL
VKR VNB & AGK COLLEGE OF ENGINEERING
Eluru Road, GUDIVADA Kr. Dt. A.P. 521301



Action taken report based on feedback for the Academic Year 2023-2024

Name Of The Stakeholder: Faculty

Date:13/04/2024

SNO	Question	Percentage Consensus	Feedback/ Concern	Action to be taken
1	Campus Maintenance	95	Good	We'll work hard to keep up with the improved campus maintenance
2	Usage of ICT facilities in the classrooms	94	Good	Taking into account the feedback ,we'll take steps to improve the procedure.
3	Canteen Facilities: Food quality, Ambience and Support staff	95	Good	We will continue the same rigor to increase the output
4	Do the girls feel secure on the campus	97	Very Good	We will continue the same rigor to increase the output
5	Drinking water facility	96	Very Good	We will continue the same rigor to increase the output
6	Washroom cleanliness and maintenance	98	Very Good	We appreciate your cmments We'll increase process awareness so that timely action can be taken
7	Sports facilities in the college	95	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
8	Transportation provided by the college adequate	93	Good	By taking into account the concerns of the students we will try to improve the process and take appropriate
9	Were the laboratories workshops adequately equipped and properly maintained	94	Good	We will work towards the process more effectively by considering the student grievances and action will be taken
10	The overall environment of the college	98	Very Good	Steps will be taken to upgrade the infrastructure to meet the needs

Note: feedback percentage range 90-94=Good,95-98=Very Good,98-100=Excellent&<90 Need improvement.

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalnh2008@gmail.com URL: http://www.vkrvbce.org

**FEEDBACK ON FACILITIES**

Name:

S.N.V.Sushmithe

Contact No:

9030877137

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate				✓	
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓


SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute. Accredited by NAAC

Godivada, Krishna District, Andhra Pradesh - 521301

Email: principal@vkrnbc@gmail.com URL: http://www.vkrnbc.org

**FEEDBACK ON FACILITIES**

Name:

K. Tejaswi

Contact No:

9491985714

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓


SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified Institute. Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principal@vkrvtce@gmail.com URL: http://www.vkrvtce.org

**FEEDBACK ON FACILITIES**Name: **VALLURI, SUDHAKAR**Contact No: **9030968662**

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff				✓	
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance				✓	
7	Sports facilities in the college				✓	
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

V. Sudhakar
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principal@vkrsubcoe.org URL: http://www.vkrsubcoe.org

**FEEDBACK ON FACILITIES**

Name:

B. HANUMAN NARENDRA

Contact No:

9989800781

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained					✓
10	The overall environment of the college					✓

SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

Email: principalh2008@gmail.com URL: http://www.skrvnbc.org

**FEEDBACK ON FACILITIES**Name: **N. DHANUNJAYA RAO**Contact No: **9703542828**

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance				✓	
2	Usage of ICT Facilities in the classrooms				✓	
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

N. DHANUNJAYA RAO
SIGNATURE

**V.K.R., V.N.B. & A.G.K. COLLEGE OF ENGINEERING**

(Approved by AICTE, New Delhi & Affiliated to JNTUK, KAKINADA)

An ISO 9001:2015 certified institute, Accredited by NAAC

Gudivada, Krishna District, Andhra Pradesh - 521301

E-mail: principaln2008@gmail.com URL: http://www.skryobce.org

**FEEDBACK ON FACILITIES**

Name:

R. Sarjanya

Contact No:

9959660050

			✓
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

S.No	How would you rate the following?	Rating				
		1	2	3	4	5
1	Campus Maintenance					✓
2	Usage of ICT Facilities in the classrooms					✓
3	Canteen Facilities: Food Quality, ambience and Support Staff					✓
4	Do the girls feel secure on the campus					✓
5	Drinking Water Facility					✓
6	Washroom cleanliness and maintenance					✓
7	Sports facilities in the college					✓
8	Transportation provided by the college adequate					✓
9	Were the Laboratories/ Workshops adequately equipped and properly maintained				✓	
10	The overall environment of the college					✓

SIGNATURE